

COOLER

FAN

DC FAN

AC FAN

DC BLOWER FAN

DUSTPROOF WATERPROOF

RETAIL PACKAGE FAN

PWM FAN

CRYSTAL LED FAN

EVER GREEN FAN

SPECIAL FAN

CABLES

THERMAL COMPOUND

ACCESSORY

HEAT SINKS

HOME > PRODUCTS > FAN > DC FAN > EC 8025 SERIES

EC 8025 SERIES



Information

DC Fan Product

Model Type : EC-8025xxxx Dimension : 80x80x25mm





Voltage	5V	12V	24V
		V	V

Fan Speed	SL	LL	L	M	H	HH	TH
	1200	1400	2000	2500	3000	3500	4000


Certificate	UL	CE	TUV
	V	V	V

Bearing Type	Sleeve	1Ball	2Ball	EL
	V	V	V	V

P&Q Curve / Dimensions Drawing



Model Number System



Specifications

Model	Voltage VDC	Current AMP	Input WATTS	Fan Speed RPM	AirFlow CFM	Pressure Inch-H2O	Noise dBA
EC8025TH12X	12	0.34	4.08	4000	48.22	0.22	<37
EC8025HH12X	12	0.28	3.36	3500	42.83	0.18	<35
EC8025H12X	12	0.16	1.92	3000	36.48	0.14	<33
EC8025M12X	12	0.11	1.32	2500	25.02	0.08	<28
EC8025L12X	12	0.08	0.96	2000	22.26	0.06	<23
EC8025LL12X	12	0.06	0.72	1400	16.06	0.03	<15.3
EC8025SL12X	12	0.05	0.6	1200	14.61	0.03	<11.9
EC8025TH24X	24	0.22	5.28	4000	48.22	0.22	<37
EC8025HH24X	24	0.18	4.32	3500	42.83	0.18	<35
EC8025H24X	24	0.14	3.36	3000	36.48	0.14	<33
EC8025M24X	24	0.1	2.4	2500	25.02	0.08	<28
EC8025L24X	24	0.06	1.44	2000	22.26	0.06	<23

E - EL bearing , B - Two ball bearing , C - One ball One sleeve bearing , S - Sleeve bearing

- Material:impeller&Frame:Plastic(UL 94V-0)
- Lead Wires:
UL 1007 AWG #28 Or Equivalent
Red Wire Positive(+),Black Wire Negative(-),Yellow Wire Or Blue Wire Signal(FG)
- Function type is optional.
- The max air flow and the speed are measured in free air;max air pressure is measured at zero air flow.
- Noise is measured in anechoic chamber in free air,one meter from intake side.
- All readings are typical values at rated voltage.
- Specifications are subject to change without notice.
- Additional special function may be added according to the requirement of customer.

※ If any fan requests, please do not hesitate to contact us.

COPYRIGHT EVERCOOL THERMAL CO.,LTD. 2015. ALL RIGHTS RESERVED